

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1088	(watermark\$4 or embed\$5) and (imag\$4 same (spatial near frequen\$4)) and scal\$4	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:17
S2	381	(imag\$4 near3 (data or infor\$7 or coeffic\$7)) same (scal\$4 and watermark\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:19
S3	1188	(watermark\$4 or embed\$5) and (imag\$4 same (spatial near3 frequen\$4)) and scal\$4	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:18
S4	97	(watermark\$4 or embed\$5) and (imag\$4 same (spatial near3 frequen\$4)) and (scal\$4 near4 watermark\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:18
S5	1383	((imag\$4 or video\$1 or audio) same (spatial near3 frequen\$4)) and ((watermark\$3 or embed\$4 or encod\$4) same (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:21
S6	1176	((imag\$4 or video\$1 or audio) same (spatial near1 frequen\$4)) and ((watermark\$3 or embed\$4 or encod\$4) same (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:22
S7	315	((imag\$4 or video\$1 or audio) near7 (spatial near1 frequen\$4)) and ((watermark\$3 or embed\$4 or encod\$4) near5 (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:27
S8	63	((imag\$4 or video\$1 or audio) near7 (spatial near1 frequen\$4)) and ((watermark\$3) near5 (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 15:27

S9	5495	382/100,232;380/210,252, 287,54;713/176;704/200.1, 273;348/460,463.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 13:27
S10	383	S9 and (watermark\$4 or embed\$5) and DCT and scal\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/26 12:22
S11	583	S9 and (watermark\$4 or embed\$5) and (DCT or (spatial near3 frequen\$4)) and scal\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/26 12:25
S12	0	S11 and coefficient\$1	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/26 12:26
S13	454	S11 and coefficient\$1	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/26 12:26
S14	1	S9 and ((imag\$4 or video4 or audio\$) near3 coefficients) same ((watermark\$4 near3 coefficients) near4 (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/26 12:58
S15	109	S9 and (((scal\$5 or weight\$4) near4 watermark\$4) same (coefficients or values))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/26 12:59
S16	56869	(watermark\$4 or embed\$4 or encod\$4) and ((different or plurality or multiple or more) near5 (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 15:52

S17	1594	S16 and DCT	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:01
S18	1440	S17 and imag\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 15:53
S19	28796	(watermark\$4 or embed\$4) and ((different or plurality or multiple or more) near5 (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:00
S20	500	S19 and DCT	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 15:52
S21	468	S20 and imag\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:01
S22	11622	(watermark\$4 or embed\$4) and ((different or plurality or multiple) near5 (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:02
S23	362	S22 and DCT	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:01
S24	340	S23 and imag\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:01

S25	652	(watermark\$4 or embed\$4) same ((different or plurality or multiple) near5 (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:02
S26	68	S25 and DCT and imag\$3	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:22
S27	1	(watermark\$4 near4 (parameters or coefficients or values)) same ((multiple or plurality) near3 (scal\$4 or weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:24
S28	63	watermark\$4 same (embed\$4 same imag\$3) same (compar\$5 same (differenc\$4 or error))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/27 16:31
S29	2	"5721788".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/01/28 14:06
S30	70	((watermark\$4 or embed\$4 or encod\$4) same (imag\$4 and coefficient\$1)) same ((variable vary\$4 adaptiv\$4 specific) near5 (scal\$4 weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 11:35
S31	70	((watermark\$4 or embed\$4 or encod\$4) same (imag\$4 and coefficient\$1)) same ((variable vary\$4 adaptiv\$4 specific) near5 (scal\$4 weight\$4))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 12:36
S32	17	"1189372".pn.",1043687".pn. ",0176253".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 12:40

S33	19	"1189372".pn.",1043687".pn. ",176253".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 12:48
S34	3	"176253".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 12:48
S35	0	"00176253".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 12:48
S36	1	"0176253".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 12:49
S37	2	"200176253".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 12:50
S38	25	"2329547".pn.",1098522".pn. ",0967803".pn.",0947953".pn. ",0926897".pn.",0651554".pn. ",1022678".pn.",0984616".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 13:27
S39	6157	382/100,232;380/210,252, 287,54;713/176;704/200.1, 273;348/460,463.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 13:27
S40	184	S39 and (((watermark\$4 embed\$4 stegona\$7) same coeffic\$8) and ((variab\$5 vary\$4 different adapt\$8 flex\$5) near4 (scal\$5 alpha weight\$4)))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 13:49

S41	14	S40 and ((scal\$4 alpha weight\$5) same ((each single every all individual\$5) near4 coeffic\$6))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 13:50
S42	14	S40 and ((scal\$4 alpha weight\$5) same ((each single every all individual\$5) near6 coeffic\$6))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 13:37
S43	219	S39 and (((watermark\$4 embed\$4 stegona\$7) and coeffic\$8) and ((variab\$5 vary\$4 different adapt\$8 flex\$5) near4 (scal\$5 alpha weight\$4)))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 14:34
S44	14	S43 and ((scal\$4 alpha weight\$5) same ((each single every all individual\$5) near4 coeffic\$6))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 13:50
S45	15	S43 and ((scal\$4 alpha weight\$5) same ((each single every all individual\$5) near4 (variable\$1 coeffic\$6)))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 14:36
S46	1	S45 not S44	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 13:51
S47	6183	"1" and (((watermark\$4 embed\$4 stegona\$7) and coeffic\$8) and ((calculat\$4 determin\$6 generat\$4) near4 (scal\$5 alpha weight\$4)))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 14:35
S48	6190	(((watermark\$4 embed\$4 stegona\$7) and coeffic\$8) and ((calculat\$4 determin\$6 generat\$4) near4 (scal\$5 alpha weight\$4)))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 14:35

S49	178	S48 and ((scal\$4 alpha weight\$5) same ((each single every all individual\$5) near4 (variable\$1 coeffic\$6)))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 14:56
S50	6	((watermark\$4 embed\$4) and ((scal4 weight\$4) near5 ((each every all) near4 (pixel\$1 coeff\$5))))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 14:59
S51	14	((watermark\$4 embed\$4) and ((scal4 weight\$4) near5 ((each every all) near4 (pixel\$1 coeff\$8))))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/20 14:59
S52	10151	watermark	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/21 12:38
S53	70	((((watermark\$4 embed\$4 encod\$4 steganog\$8 comb\$4 add\$4 insert\$4) same (imag\$3 signal\$1 audio video\$1 multimedia)) same (transform\$7 and coeff\$8)) and ((scal\$4 weight\$4) near5 ((each every all) near4 (pixel\$1 coeff\$8))))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/21 13:07

Dial g DataStar[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[easy search](#)**Advanced Search: INSPEC - 1969 to date (INZZ)**[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	(watermark\$4 OR embed OR steganog\$8 OR comb\$4 OR add\$4 OR insert\$4) SAME (scal\$4 OR weight\$4 OR alpha)	unrestricted	44144	show titles
2	INZZ	(watermark\$4 OR embed OR steganog\$8 OR comb\$4 OR add\$4 OR insert\$4) SAME (scal\$4 OR weight\$4 OR alpha) WITH coefficient\$4	unrestricted	868	show titles
3	INZZ	(watermark\$4 OR embed OR steganog\$8 OR comb\$4 OR add\$4 OR insert\$4) SAME (scal\$4 OR weight\$4 OR alpha) WITH each ADJ every ADJ all WITH coefficient\$4	unrestricted	0	-
4	INZZ	(watermark\$4 OR embed OR steganog\$8 OR comb\$4 OR add\$4 OR insert\$4) SAME (scal\$4 OR weight\$4 OR alpha) WITH (each OR every OR all) WITH coefficient\$4	unrestricted	6	show titles

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping Information added since: or: ☒
(YYYYMMDD)[search](#)

Select special search terms from the following list(s):

- ☒ Publication year
- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5

- ➔ Classification codes A: Physics, 6
- ➔ Classification codes A: Physics, 7
- ➔ Classification codes A: Physics, 8
- ➔ Classification codes A: Physics, 9
- ➔ Classification codes B: Electrical & Electronics, 0-5
- ➔ Classification codes B: Electrical & Electronics, 6-9
- ➔ Classification codes C: Computer & Control
- ➔ Classification codes D: Information Technology
- ➔ Classification codes E: Manufacturing & Production
- ➔ Treatment codes
- ➔ INSPEC sub-file
- ➔ Language of publication
- ➔ Publication types

[Top](#) - [News & FAQs](#) - [Dialog](#)

© **2005** Dialog

Dial g DataStar

[options](#)
[logout](#)
[feedback](#)
[help](#)
[databases](#)
[easy search](#)

Advanced Search: INSPEC - 1969 to date (INZZ)

[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	(watermark\$4 OR embed OR steganog\$8 OR comb\$4 OR add\$4 OR insert\$4) SAME (scal\$4 OR weight\$4 OR alpha) WITH (each OR every OR all) WITH (pixel\$1 OR voxel\$1 OR coefficient\$4)	unrestricted	10	show titles

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)
Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping
 ☒ whole document 

 Information added since: or: none ☒
 (YYYYMMDD)

[search](#)

Select special search terms from the following list(s):

- ☒ Publication year
- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9
- ☒ Classification codes B: Electrical & Electronics, 0-5
- ☒ Classification codes B: Electrical & Electronics, 6-9
- ☒ Classification codes C: Computer & Control
- ☒ Classification codes D: Information Technology
- ☒ Classification codes E: Manufacturing & Production

- ➔ Treatment codes
- ➔ INSPEC sub-file
- ➔ Language of publication
- ➔ Publication types

Top - News & FAQs - Dialog

© **2005** Dialog